






*Federal Communications Commission  
Office of Engineering & Technology*

---

# Questions and Answers about Biological Effects and Potential Hazards of Radiofrequency Electromagnetic Fields



**OET BULLETIN 56**  
*Fourth Edition*

August 1999

**Table 1. FCC Limits for Maximum Permissible Exposure (MPE)****(A) Limits for Occupational/Controlled Exposure**

Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-3.0	614	1.63	(100)*	6
3.0-30	1842/f	4.89/f	(900/f <sup>2</sup> )*	6
30-300	61.4	0.163	1.0	6
300-1500	--	--	f/300	6
1500-100,000	--	--	5	6

**(B) Limits for General Population/Uncontrolled Exposure**




Frequency Range (MHz)	Electric Field Strength (E) (V/m)	Magnetic Field Strength (H) (A/m)	Power Density (S) (mW/cm <sup>2</sup> )	Averaging Time  E  <sup>2</sup> ,  H  <sup>2</sup> or S (minutes)
0.3-1.34	614	1.63	(100)*	30
1.34-30	824/f	2.19/f	(180/f <sup>2</sup> )*	30
30-300	27.5	0.073	0.2	30
300-1500	--	--	f/1500	30
1500-100,000	--	--	1.0	30

f = frequency in MHz


\*Plane-wave equivalent power density

NOTE 1: Occupational/controlled limits apply in situations in which persons are exposed as a consequence of their employment provided those persons are fully aware of the potential for exposure and can exercise control over their exposure. Limits for occupational/controlled exposure also apply in situations when an individual is transient through a location where occupational/controlled limits apply provided he or she is made aware of the potential for exposure.




NOTE 2: General population/uncontrolled exposures apply in situations in which the general public may be exposed, or in which persons that are exposed as a consequence of their employment may not be fully aware of the potential for exposure or can not exercise control over their exposure.






**Assumptions:** (1) SeaSonde output average power = 50 watts; (2) Monopole radiating element mounted on 4-m post; (3) Radiation is measured at ground under post.



**Assumptions:** (1) SeaSonde output average power = 50 watts; (2) Monopole radiating element mounted on 4-m post; (3) Radiation is measured at ground under post.



**Assumptions:** (1) SeaSonde output average power = 50 watts; (2) Monopole radiating element mounted on 4-m post; (3) Radiation is measured at ground under post.



**Assumptions:** (1) SeaSonde output average power = 50 watts; (2) Monopole radiating element over radial wire ground screen; (3) Radiation is measured on ground.